

Rating Letter - Intimation of Rating Action

Letter Issued on: March 27, 2021 Letter Expires on: March 17, 2022

Embassy Property Developments Private Limited

1st Floor, Embassy Point, 150 Infantry Road, Bangalore Bangalore Karnataka – 560001 Scan this QR Code to verify authenticity of this rating

Kind Attn.: Mr. Jitendra Mohandas Virwani, Managing Director (Tel. No. 6366409082)

Dear Mr. Virwani,

Sub.: Rating(s) Assigned - Non-Convertible Debentures of Embassy Property Developments Private Limited

Please note that the current rating(s) and outlook, instrument details, and latest rating action for the aforementioned instrument are as under:

	Long Term Instruments	Short Term Instruments
Total Rated Quantum (Rs. Cr.)	800.00	Not applicable
Quantum of Enhancement (Rs. Cr.)	Not applicable	Not applicable
Rating	ACUITE PP- MLD BBB	Not applicable
Outlook	Stable	Not applicable
Most recent Rating Action	Assigned	Not applicable
Date of most recent Rating Action	March 27, 2021	Not applicable
Rating Watch	Not applicable	Not applicable

Acuité reserves the right to revise the ratings, along with the outlook, at any time, on the basis of new information, or other circumstances which Acuité believes may have an impact on the ratings. Such revisions, if any, would be appropriately disseminated by Acuité as required under prevailing SEBI guidelines and Acuité 's policies.

This letter will expire on March 17, 2022 or on the day when Acuité takes the next rating action, whichever is earlier. It may be noted that the rating is subject to change anytime even before the expiry date of this letter. Hence lenders / investors are advised to visit https://www.acuite.in/ OR scan the QR code given above to confirm the current outstanding rating.

Acuité will re-issue this rating letter on March 18, 2022 subject to receipt of surveillance fee as applicable. If the rating is reviewed before March 17, 2022, Acuité will issue a new rating letter.

Suman Chowdhury

Suman Chowdhury Chief Analytical Officer

Annexures: A. Details of the Rated Instrument

B. Details of the rating prior to the above rating action

SEBI Registered | RBI Accredited

A-812, The Capital, G-Block, BKC, Bandra (E), Mumbai - 400051 | +91 22 49294000 SMS: +91 9969898000 | www.acuite.in | CIN: U74999MH2005PLC155683



Annexure A. Details of the rated instrument

Facilities	Scale	Amt. (Rs. Cr)	Rating Assigned	Rating Outlook
	1	Т		T
Principal Protected Market Linked Non-Convertible Debentures	Long Term	600.00	ACUITE PP-MLD BBB (Converted from Provisional to final rating)	Stable
Principal Protected Market Linked Non-Convertible Debentures	Long Term	200.00	ACUITE PP-MLD BBB (Converted from Provisional to final rating)	Stable
		800.00		
Total Facilities		800.00		

Annexure B. Details of the rating prior to the above rating action

	Long Term Instruments	Short Term Instruments	
Previous Rated Quantum	800.00	Not applicable	
Rating	ACUITE Provisional PP-MLD BBB	Not applicable	
Outlook	Stable	Not applicable	

DISCLAIMER

An Acuit é rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. Acuit é ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, Acuit é, in particular, makes no representation or warranty, expressed or implied with respect to the adequacy, accuracy or completeness of the information relied upon. Acuit é is not responsible for any errors or omissions and especially states that it has no financial liability what soever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. Acuit é ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by Acuit é, Acuit é's rating scale and its definitions.